

Arsine

SensoriC AsH3 3E 1



SensoriC AsH3 3E 1

FEATURES

Amperometric 3 electrode sensor cell High resolution 0 voltage biased operation fixed organic gel electrolyte detection of all hydrides

TYPICAL APPLICATIONS

Portable & fixed point applications Semiconductor Industry, General Industry

PART NUMBER INFORMATION

MINI	0731-031-30009
SENSORIC CLASSIC	0731-031-30069
CTL 4 series adaptation	0731-031-30049
CTL 7 series adaptation	0731-031-30079



SensoriC AsH3 3E 1

TECHNICAL SPECIFICATIONS

Measuring Range 0–1 ppm

Sensitivity Range 1400 nA/ppm ± 450 nA/ppm

Zero Current at 20° C $< \pm 20$ nA Resolution at 20° C < 15 ppb Bias Potential 0 mV

Linearity < 10% full scale

Response Time at 20°C

< 10 s calculated from 2 min. exposure time
 < 30 s calculated from 2 min. exposure time

Long Term Sensitivity Drift <5% per 6 months

Operation Conditions

Temperature Range -20°C to +40°C

Humidity Range 20–95% r.H., non–condensing

Effect of Humidity an abrupt change of rel. Humidity will cause a short term drift


in zero reading

Sensor Life Expectancy > 18 months
Warranty 10 months



SensoriC AsH3 3E 1


OUTPUT vs. TEMPERATURE:





SensoriC AsH3 3E 1

ZERO READING vs. TEMPERATURE:





SensoriC AsH3 3E 1

CROSS SENSITIVITIES AT 20°C

Gas	Concentration	Reading [ppm]
Ammonia	100 ppm	0.1
Carbon Dioxide	5000 ppm	0
Carbon Monoxide	100 ppm	0
Chlorine	1 ppm	-0.07
Diborane	0.25 ppm	0.18
Silane	5 ppm	3.8
Hydrocarbons	% range	0
Hydrochloric Acid	5 ppm	01
Hydrogen	3000 ppm	02
Hydrogen Cyanide	20 ppm	0.5
Hydrogen Sulfide	20 ppm	5
Isopropanol	200 ppm	0
Nitrogen	100 %	0
Phosphine	0.1 ppm	0.13
Sulfur Dioxide	20 ppm	2
Nitrogen Dioxide	10 ppm	-2

- 1) At short gas exposure in minute range (dose ~100ppm min.)
- 2) Interference expected at >4% H2

Notes:

- Interference factors may differ from sensor to sensor and with life time. It is not adviseable to calibrate with interference gases.
- 2. This table does not claim to be complete. The sensor might also be sensitive to other gases.

SensoriC deems the data contained herein as factual, and the opinions expressed are those of qualified experts based on the results of tests conducted. The above data can not be used as a warranty provision or representation for which SensoriC assumes legal responsibility. The data are offered solely for consideration, investigation and verification. Any use of this information is subject to federal, state and local laws and regulations.



Distributed by:

Shawcity Ltd 91-92 Shrivenham Hundred Business Park Watchfield, Oxfordshire, SN6 8TY Tel: 01793 780622 Email: sensororders@shawcity.co.uk www.shawcity.co.uk



Rev. 09/2006