

# Silane

## SensoriC SiH4 3E 50



# Product Data Sheet

## SensoriC SiH4 3E 50

### FEATURES

Amperometric 3 electrode sensor cell  
High resolution  
0 voltage biased operation  
fixed organic gel electrolyte

### TYPICAL APPLICATIONS

Portable & fixed point applications  
Semiconductor Industry

### PART NUMBER INFORMATION

MINI	0941-031-30009
SENSORIC CLASSIC	0941-031-30069
CTL 4 series adaptation	0941-031-30049
CTL 7 series adaptation	0941-031-30079

SensoriC deems the data contained herein as factual, and the opinions expressed are those of qualified experts based on the results of tests conducted. The above data can not be used as a warranty provision or representation for which SensoriC assumes legal responsibility. The data are offered solely for consideration, investigation and verification. Any use of this information is subject to federal, state and local laws and regulations.



# Product Data Sheet

## SensoriC SiH<sub>4</sub> 3E 50

### TECHNICAL SPECIFICATIONS

Measuring Range	0–50 ppm SiH <sub>4</sub> ; 0-2 ppm GeH <sub>4</sub>
Sensitivity Range	130 nA/ppm ± 70 nA/ppm
Zero Current at 20°C	< ± 25 nA
Resolution at 20°C	< 0.05 ppm
Bias Potential	0 mV
Linearity	< 10% full scale
Response Time at 20°C	
t <sub>50</sub>	< 10 s calculated from 2 min. exposure time
t <sub>90</sub>	< 60 s calculated from 2 min. exposure time
Long Term Sensitivity Drift	<5% per 6 months
Operation Conditions	
Temperature Range	-20°C to +40°C
Humidity Range	20–95% r.H., non–condensing
Effect of Humidity	an abrupt change of rel. Humidity will cause a short term drift in zero reading
Sensor Life Expectancy	> 18 months
Warranty	12 months


SensoriC deems the data contained herein as factual, and the opinions expressed are those of qualified experts based on the results of tests conducted. The above data can not be used as a warranty provision or representation for which SensoriC assumes legal responsibility. The data are offered solely for consideration, investigation and verification. Any use of this information is subject to federal, state and local laws and regulations.



# Product Data Sheet

## SensoriC SiH4 3E 50

### OUTPUT vs. TEMPERATURE:



SensoriC deems the data contained herein as factual, and the opinions expressed are those of qualified experts based on the results of tests conducted. The above data can not be used as a warranty provision or representation for which SensoriC assumes legal responsibility. The data are offered solely for consideration, investigation and verification. Any use of this information is subject to federal, state and local laws and regulations.




Rev. 09/2006

# Product Data Sheet

## SensoriC SiH4 3E 50

### ZERO READING vs. TEMPERATURE:



SensoriC deems the data contained herein as factual, and the opinions expressed are those of qualified experts based on the results of tests conducted. The above data can not be used as a warranty provision or representation for which SensoriC assumes legal responsibility. The data are offered solely for consideration, investigation and verification. Any use of this information is subject to federal, state and local laws and regulations.

# Product Data Sheet

## SensoriC SiH4 3E 50

### CROSS SENSITIVITIES AT 20°C

Gas	Concentration	Reading [ppm]
Ammonia	100 ppm	0
Arsine	0.2 ppm	0.2
Carbon Dioxide	5000 ppm	0
Carbon Monoxide	100 ppm	0
Chlorine	1 ppm	0
Diborane	0.25 ppm	0.12
Hydrocarbons	% range	0
Hydrochloric Acid	5 ppm	0 <sup>1</sup>
Hydrogen	3000 ppm	0 <sup>2</sup>
Hydrogen Cyanide	20 ppm	0.5
Hydrogen Sulfide	2 ppm	8
Isopropanol	200 ppm	0
Nitrogen	100 %	0
Phosphine	0.1 ppm	0.13
Sulfur Dioxide	20 ppm	4
Nitrogen Dioxide	10 ppm	-2

1) At short gas exposure in minute range (dose ~100ppm min.)

2) Interference expected at >4% H2

#### Notes:

1. Interference factors may differ from sensor to sensor and with life time. It is not advisable to calibrate with interference gases.
2. This table does not claim to be complete. The sensor might also be sensitive to other gases.

SensoriC deems the data contained herein as factual, and the opinions expressed are those of qualified experts based on the results of tests conducted. The above data can not be used as a warranty provision or representation for which SensoriC assumes legal responsibility. The data are offered solely for consideration, investigation and verification. Any use of this information is subject to federal, state and local laws and regulations.



**Distributed by:**  
Shawcity Ltd  
91-92 Shrivenham Hundred Business Park  
Watchfield, Oxfordshire, SN6 8TY  
Tel: 01793 780622  
Email: sensororders@shawcity.co.uk  
www.shawcity.co.uk

